

NASA Reference Publication 1343


# Tables of Properties of Airfoil Polynomials

---

*Robert N. Desmarais and Samuel R. Bland*

---

September 1995



NASA Reference Publication 1343

# Tables of Properties of Airfoil Polynomials

---

*Robert N. Desmarais and Samuel R. Bland  
Langley Research Center • Hampton, Virginia*

National Aeronautics and Space Administration  
Langley Research Center • Hampton, Virginia 23681-0001

September 1995

Available electronically at the following URL address: <http://techreports.larc.nasa.gov/ltrs/ltrs.html>

Printed copies available from the following:

NASA Center for AeroSpace Information  
800 Elkrige Landing Road  
Linthicum Heights, MD 21090-2934  
(301) 621-0390

National Technical Information Service (NTIS)  
5285 Port Royal Road  
Springfield, VA 22161-2171  
(703) 487-4650

## Contents

Abstract . . . . .	1
Symbols . . . . .	1
Introduction . . . . .	1
Mathematical Properties . . . . .	2
1. Definitions . . . . .	2
2. Orthogonality Relations . . . . .	2
3. Recursion Formulas . . . . .	3
4. Relations to Other Functions . . . . .	3
4.1. Chebyshev polynomials . . . . .	3
4.2. Jacobi polynomials . . . . .	3
4.3. Hypergeometric functions . . . . .	3
4.4. Legendre functions . . . . .	4
5. Generating Functions . . . . .	4
6. Rodrigues' Formulas . . . . .	4
7. Interrelations . . . . .	4
8. Explicit Expansions . . . . .	5
9. Expressions for Negative Degree . . . . .	5
10. Differential Equations . . . . .	5
11. Hilbert and Related Transforms . . . . .	5
11.1. Hilbert transforms . . . . .	5
11.2. Finite part transforms . . . . .	6
11.3. Logarithmic transforms . . . . .	7
12. Derivatives . . . . .	7
13. Indefinite Integrals . . . . .	8
14. Cross Expansions . . . . .	9
15. Multiplication Formulas . . . . .	9
16. Christoffel-Darboux Formulas . . . . .	9
17. Special Values . . . . .	10
18. Zeros . . . . .	10
19. Miscellaneous Definite Integrals . . . . .	10
20. Relations Involving $T_n(x)$ . . . . .	11
21. Relations Involving $U_n(x)$ . . . . .	12
22. Integrals Involving Legendre Polynomials . . . . .	12
23. Fourier Series . . . . .	12
24. Finite Fourier Transforms . . . . .	13
Numerical Methods . . . . .	13
1. Gaussian Quadrature . . . . .	13
2. Hermite Quadrature . . . . .	13
Concluding Remarks . . . . .	14
References . . . . .	14
Tables . . . . .	15

## Abstract

*This monograph provides an extensive list of formulas for airfoil polynomials. These polynomials provide convenient expansion functions for the description of the downwash and pressure distributions of linear theory for airfoils in both steady and unsteady subsonic flow.*

## Symbols

$F$	hypergeometric function
$f$	arbitrary function
$J_n$	Bessel function of first kind
$K$	kernel function of pressure-downwash integral equation
$P_n$	Legendre polynomial
$P_n^{1/2}, P_n^{-1/2}$	associated Legendre functions of first kind
$P_n^{(-1/2, 1/2)}, P_n^{(1/2, -1/2)}$	Jacobi polynomials
$p$	arbitrary polynomial; airfoil pressure
$Q_n^{1/2}, Q_n^{-1/2}$	associated Legendre functions of second kind
$T_n$	Chebyshev polynomial of first kind
$t_m, t_n$	airfoil polynomial of first kind
$U_n$	Chebyshev polynomial of second kind
$u_m, u_n$	airfoil polynomial of second kind
$w$	airfoil downwash
$x, y$	real variables
$z$	complex variable
$\xi$	real variable

## Introduction

The so-called airfoil polynomials are used as expansion functions to compute the pressure on an airfoil in steady or unsteady subsonic flow. In kernel function aerodynamics (e.g., ref. 1), the unknown pressure distribution on the airfoil is expressed as the solution of the integral equation

$$w(x) = \int_{-1}^1 p(\xi) K(x - \xi) d\xi$$

in which the nondimensional variables are the known downwash  $w$ , the unknown lifting pressure  $p$ , and the kernel function  $K$ . The integral extends over the chord, which is normalized such that the interval  $[-1, 1]$  extends from the leading edge to the trailing edge of the airfoil. The pressure has a square-root singularity at the leading edge and a square-root zero at the trailing edge. The kernel function involves an integral of Bessel functions and has both a first-order pole and logarithmic singularity at the point  $x = \xi$  on the airfoil. The downwash, pressure, and kernel function are functions of the flow Mach number and the airfoil oscillation frequency in addition to the indicated dependence on the chordwise variables  $x$  or  $\xi$ .

The airfoil polynomials are particularly convenient expansion functions for the pressure and downwash. For example, the pressure may be represented by the expansion

$$p(\xi) = \sqrt{\frac{1-\xi}{1+\xi}} \sum_{n=0}^N u_n(\xi)$$

in terms of the airfoil polynomials of the second kind  $u_n(\xi)$ . These polynomials possess many nice properties such as the interdigitation of the zeros of the polynomials of the second kind  $u_n$  for the pressure and of the first kind  $t_n$  for the downwash. Applications of these polynomials to subsonic lifting theory may be found in references 1–3. Also, they may be used to describe the chordwise pressure distributions in three-dimensional wing theory. In the three-dimensional theory, the spanwise pressure is typically expanded in a series of Chebyshev polynomials of the second kind  $U_n(y)$ .

These polynomials are actually renormalized Jacobi polynomials as described, for example, in chapter 22 of reference 4. The present monograph roughly follows the organization of that chapter; however, it contains many additional formulas. Many of the formulas can be derived from the trigonometric definitions of the polynomials or from their expressions in terms of the more familiar Chebyshev polynomials.

Formulas are included that relate the airfoil polynomials to many of the standard mathematical functions. Of particular use are the expressions for the singular integrals occurring in linear theory aerodynamics. Tables I and II summarize the coefficients for  $t_n(x)$  and  $u_n(x)$ , respectively.

## Mathematical Properties

### 1. Definitions

$$t_n(x) = \frac{\cos \left[ \left( n + \frac{1}{2} \right) \arccos x \right]}{\cos \left( \frac{1}{2} \arccos x \right)}$$

$$u_n(x) = \frac{\sin \left[ \left( n + \frac{1}{2} \right) \arccos x \right]}{\sin \left( \frac{1}{2} \arccos x \right)}$$

### 2. Orthogonality Relations

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+x}{1-x}} t_n(x) t_m(x) dx = \begin{cases} 1 & (m = n) \\ 0 & (m \neq n) \end{cases}$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} u_n(x) u_m(x) dx = \begin{cases} 1 & (m = n) \\ 0 & (m \neq n) \end{cases}$$

### 3. Recursion Formulas

$$t_{n+1}(x) - 2xt_n(x) + t_{n-1}(x) = 0$$

$$u_{n+1}(x) - 2xu_n(x) + u_{n-1}(x) = 0$$

$$t_{n+2}(x) - (4x^2 - 2)t_n(x) + t_{n-2}(x) = 0$$

$$u_{n+2}(x) - (4x^2 - 2)u_n(x) + u_{n-2}(x) = 0$$

### 4. Relations to Other Functions

#### 4.1. Chebyshev polynomials.

$$t_n(x) = \sqrt{\frac{2}{1+x}} T_{2n+1}\left(\sqrt{\frac{1+x}{2}}\right)$$

$$u_n(x) = U_{2n}\left(\sqrt{\frac{1+x}{2}}\right)$$

#### 4.2. Jacobi polynomials.

$$t_n(x) = 2^{2n} \binom{2n}{n}^{-1} P_n^{(-1/2, 1/2)}(x)$$

$$u_n(x) = 2^{2n} \binom{2n}{n}^{-1} P_n^{(1/2, -1/2)}(x)$$

#### 4.3. Hypergeometric functions.

$$t_n(x) = F\left(-n, n+1; \frac{1}{2}; \frac{1-x}{2}\right)$$

$$u_n(x) = (2n+1)F\left(-n, n+1; \frac{3}{2}; \frac{1-x}{2}\right)$$

$$t_n(x) = (-1)^n (2n+1)F\left(-n, n+1; \frac{3}{2}; \frac{1+x}{2}\right)$$

$$u_n(x) = (-1)^n F\left(-n, n+1; \frac{1}{2}; \frac{1+x}{2}\right)$$

#### 4.4. Legendre functions.

$$t_n(x) = \sqrt{\pi} \left( \frac{1-x}{1+x} \right)^{1/4} P_n^{1/2}(x)$$

$$u_n(x) = -\frac{2}{\sqrt{\pi}} \left( \frac{1+x}{1-x} \right)^{1/4} Q_n^{1/2}(x)$$

$$t_n(x) = -\left(n + \frac{1}{2}\right) \frac{2}{\sqrt{\pi}} \left( \frac{1-x}{1+x} \right)^{1/4} Q_n^{-1/2}(x)$$

$$u_n(x) = \left(n + \frac{1}{2}\right) \sqrt{\pi} \left( \frac{1+x}{1-x} \right)^{1/4} P_n^{-1/2}(x)$$

#### 5. Generating Functions

$$\sum_{n=0}^{\infty} t_n(x) z^n = \frac{1-z}{1-2xz+z^2}$$

$$\sum_{n=0}^{\infty} u_n(x) z^n = \frac{1+z}{1-2xz+z^2}$$

#### 6. Rodrigues' Formulas

$$t_n(x) = \frac{(-1)^n 2^n n!}{(2n)!} \sqrt{\frac{1-x}{1+x}} \frac{d^n}{dx^n} \left[ \sqrt{\frac{1+x}{1-x}} (1-x^2)^n \right]$$

$$u_n(x) = \frac{(-1)^n 2^n n!}{(2n)!} \sqrt{\frac{1+x}{1-x}} \frac{d^n}{dx^n} \left[ \sqrt{\frac{1-x}{1+x}} (1-x^2)^n \right]$$

#### 7. Interrelations

$$u_n(x) = (-1)^n t_n(-x)$$

$$(1+x)t_n(x) = xu_n(x) - u_{n-1}(x)$$

$$(1+x)t_n(x) = -xu_n(x) + u_{n+1}(x)$$

$$(1-x)u_n(x) = -xt_n(x) + t_{n-1}(x)$$

$$(1-x)u_n(x) = xt_n(x) - t_{n+1}(x)$$

$$u_n(x)t_{n-1}(x) = t_n(x)u_{n-1}(x) + 2$$

$$t_n(x) + t_{n-1}(x) = u_n(x) - u_{n-1}(x)$$

$$(1+x)[-t_n(x) + t_{n-1}(x)] = (1-x)[u_n(x) + u_{n-1}(x)]$$



## 8. Explicit Expansions

$$t_n(x) = 2^{-n} \sum_{k=0}^n (-1)^k \binom{2n+1}{2k} (1+x)^{n-k} (1-x)^k$$

$$u_n(x) = 2^{-n} \sum_{k=0}^n (-1)^k \binom{2n+1}{2k+1} (1+x)^{n-k} (1-x)^k$$

$$x^n = 2^{-n} \sum_{k=0}^n \binom{n}{\lfloor (n-k)/2 \rfloor} t_k(x)$$

$$x^n = 2^{-n} \sum_{k=0}^n (-1)^{n-k} \binom{n}{\lfloor (n-k)/2 \rfloor} u_k(x)$$

## 9. Expressions for Negative Degree

$$t_{-n-1}(x) = t_n(x)$$

$$u_{-n-1}(x) = -u_n(x)$$

## 10. Differential Equations

$$(1-x^2)t_n''(x) + (1-2x)t_n'(x) + n(n-1)t_n(x) = 0$$

$$(1-x^2)u_n''(x) - (1+2x)u_n'(x) + n(n+1)u_n(x) = 0$$

$$\frac{d}{dx} \left[ (1-x^2) \sqrt{\frac{1+x}{1-x}} t_n'(x) \right] + n(n+1) \sqrt{\frac{1+x}{1-x}} t_n(x) = 0$$

$$\frac{d}{dx} \left[ (1-x^2) \sqrt{\frac{1-x}{1+x}} u_n'(x) \right] + n(n+1) \sqrt{\frac{1-x}{1+x}} u_n(x) = 0$$

## 11. Hilbert and Related Transforms

### 11.1. Hilbert transforms.

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+x}{1-x}} \frac{t_n(x)}{x-y} dx = u_n(y)$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} \frac{u_n(x)}{x-y} dx = -t_n(y)$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} \frac{(1+x)t_n(x)}{x-y} dx = (1-y)u_n(y) \quad (n \neq 1)$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+x}{1-x}} \frac{(1-x)u_n(x)}{x-y} dx = -(1+y)t_n(y) \quad (n \neq 1)$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} \frac{t_n^2(x)}{x-y} dx = \frac{1-y}{1+y} t_n(y) u_n(y) - \frac{2(2n+1)}{1+y}$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+x}{1-x}} \frac{u_n^2(x)}{x-y} dx = -\frac{1+y}{1-y} t_n(y) u_n(y) + \frac{2(2n+1)}{1-y}$$

$$\int_{-1}^1 \frac{t_n(x)}{x-y} dx = t_n(y) \ln \frac{1-y}{1+y} + 4 \sum_{k=1,3,\dots}^n \frac{t_{n-k}(y)}{k}$$

$$\int_{-1}^1 \frac{u_n(x)}{x-y} dx = u_n(y) \ln \frac{1-y}{1+y} + 4 \sum_{k=1,3,\dots}^n \frac{u_{n-k}(y)}{k}$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+x}{1-x}} \frac{t_n(x)p(x)}{x-y} dx = u_n(y)p(y)$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} \frac{u_n(x)p(x)}{x-y} dx = -t_n(y)p(y)$$

where  $p(x)$  is any polynomial of degree  $n$  or less. For complex  $z$ ,

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+x}{1-x}} \frac{t_n(x)}{x-z} dx = u_n(z) - \sqrt{\frac{z+1}{z-1}} t_n(z)$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} \frac{u_n(x)}{x-z} dx = -t_n(z) + \sqrt{\frac{z-1}{z+1}} u_n(z)$$

$$\frac{1}{\pi} \int_{-1}^1 \frac{1}{\sqrt{1-x^2}(x-z)} dx = -\frac{1}{\sqrt{z^2-1}}$$

### 11.2. Finite part transforms.

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+x}{1-x}} \frac{t_n(x)}{(x-y)^2} dx = \frac{-(2n+1)t_n(y) + u_n(y)}{2(1-y)} = u'_n(y)$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} \frac{u_n(x)}{(x-y)^2} dx = \frac{-(2n+1)u_n(y) + t_n(y)}{2(1+y)} = -t'_n(y)$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} \frac{(1+x)t_n(x)}{(x-y)^2} dx = \frac{-(2n+1)t_n(y) - u_n(y)}{2}$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+x}{1-x}} \frac{(1-x)u_n(x)}{(x-y)^2} dx = \frac{-(2n+1)u_n(y) - t_n(y)}{2}$$

### 11.3. Logarithmic transforms.

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+x}{1-x}} t_n(x) \ln|x-y| dx = \begin{cases} \frac{u_{n-1}(y) - u_n(y)}{2n} + \frac{u_n(y) - u_{n+1}(y)}{2(n+1)} & (n \neq 0) \\ -\ln 2 - y & (n = 0) \end{cases}$$

$$= -\frac{T_{n+1}(y)}{n+1} - \frac{T_n(y)}{n} = \int u_n(y) dy$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} u_n(x) \ln|x-y| dx = \begin{cases} -\frac{t_{n-1}(y) + t_n(y)}{2n} + \frac{t_n(y) + t_{n+1}(y)}{2(n+1)} & (n \neq 0) \\ -\ln 2 + y & (n = 0) \end{cases}$$

$$= \frac{T_{n+1}(y)}{n+1} - \frac{T_n(y)}{n} = \int t_n(y) dy$$

## 12. Derivatives

$$(1+x)t'_n(x) = \left(n + \frac{1}{2}\right)u_n(x) - \frac{1}{2}t_n(x)$$

$$(1-x)u'_n(x) = -\left(n + \frac{1}{2}\right)t_n(x) + \frac{1}{2}u_n(x)$$

$$(1-x^2)t'_n(x) = -\left(nx + \frac{1}{2}\right)t_n(x) + \left(n + \frac{1}{2}\right)t_{n-1}(x)$$

$$(1-x^2)u'_n(x) = -\left(nx - \frac{1}{2}\right)u_n(x) + \left(n + \frac{1}{2}\right)u_{n-1}(x)$$

$$(1-x^2)t'_n(x) = \left(nx + x - \frac{1}{2}\right)t_n(x) - \left(n + \frac{1}{2}\right)t_{n+1}(x)$$

$$(1-x^2)u'_n(x) = \left(nx + x + \frac{1}{2}\right)u_n(x) - \left(n + \frac{1}{2}\right)u_{n+1}(x)$$

$$(1-x)[t'_{n-1}(x) + t'_n(x)] = n[t_{n-1}(x) - t_n(x)]$$

$$t'_n(x) = \frac{1}{2} \sum_{k=0}^{n-1} [(2n+1) - (-1)^{n-k}(2k+1)] t_k(x)$$

$$u'_n(x) = \frac{1}{2} \sum_{k=0}^{n-1} [(2k+1) - (-1)^{n-k}(2n+1)] u_k(x)$$

$$t'_n(x) = - \sum_{k=0}^{n-1} (-1)^{n-k} [n(n+1) - k(k+1)] u_k(x)$$

$$u'_n(x) = \sum_{k=0}^{n-1} [n(n+1) - k(k+1)] t_k(x)$$

$$t'_n(x) + t'_{n-1}(x) = 2n \sum_{k=0}^{n-1} t_k(x)$$

$$u'_n(x) - u'_{n-1}(x) = -2n \sum_{k=0}^{n-1} (-1)^{n-k} u_k(x)$$

### 13. Indefinite Integrals

$$\begin{aligned} \int \sqrt{\frac{1+x}{1-x}} t_n(x) dx &= \frac{\sqrt{1-x^2}}{2n(n+1)} [t_n(x) - (2n+1)u_n(x)] \\ &= \begin{cases} -\sqrt{1-x^2} \left[ \frac{U_n(x)}{n+1} + \frac{U_{n-1}(x)}{n} \right] & (n > 0) \\ -\arccos x - \sqrt{1-x^2} & (n = 0) \end{cases} \end{aligned}$$

$$\begin{aligned} \int \sqrt{\frac{1-x}{1+x}} u_n(x) dx &= \frac{\sqrt{1-x^2}}{2n(n+1)} [-u_n(x) + (2n+1)t_n(x)] \\ &= \begin{cases} \sqrt{1-x^2} \left[ \frac{U_n(x)}{n+1} - \frac{U_{n-1}(x)}{n} \right] & (n > 0) \\ -\arccos x + \sqrt{1-x^2} & (n = 0) \end{cases} \end{aligned}$$

$$\int t_n(x) dx = -\frac{t_{n-1}(x) + t_n(x)}{2n} + \frac{t_n(x) + t_{n+1}(x)}{2(n+1)} = -\frac{T_n(x)}{n} + \frac{T_{n+1}(x)}{n+1}$$

$$\int u_n(x) dx = \frac{u_{n-1}(x) - u_n(x)}{2n} + \frac{u_n(x) - u_{n+1}(x)}{2(n+1)} = -\frac{T_n(x)}{n} - \frac{T_{n+1}(x)}{n+1}$$

$$\int \sqrt{\frac{1+x}{1-x}} \frac{1}{x-y} dx = \arccos x - \sqrt{\frac{1+y}{1-y}} \left( \ln \left| \sqrt{\frac{1-x}{1+x}} - \sqrt{\frac{1-y}{1+y}} \right| - \ln \left| \sqrt{\frac{1-x}{1+x}} + \sqrt{\frac{1-y}{1+y}} \right| \right)$$

#### 14. Cross Expansions

$$u_n(x) = 2 \sum_{m=0}^n t_m(x) - t_n(x)$$

$$t_n(x) = 2 \sum_{m=0}^n (-1)^{n-m} u_m(x) - u_n(x)$$

#### 15. Multiplication Formulas

In all cases  $n \geq m$ .

$$2t_n(x)u_m(x) = u_{n+m}(x) + t_{n+m}(x) - u_{n-m}(x) + t_{n-m}(x)$$

$$2u_n(x)t_m(x) = u_{n+m}(x) + t_{n+m}(x) + u_{n-m}(x) - t_{n-m}(x)$$

$$2t_n(x)t_m(x) = t_{n+m}(x) + t_{n-m}(x) + \frac{1-x}{1+x}[-u_{n+m}(x) + u_{n-m}(x)]$$

$$2(1+x)t_n(x)t_m(x) = t_{n+m}(x) + t_{n+m+1}(x) + t_{n-m}(x) + t_{n-m-1}(x)$$

$$2u_n(x)u_m(x) = u_{n+m}(x) + u_{n-m}(x) + \frac{1+x}{1-x}[-t_{n+m}(x) + t_{n-m}(x)]$$

$$2(1-x)u_n(x)u_m(x) = u_{n+m}(x) - u_{n+m+1}(x) + u_{n-m}(x) - u_{n-m-1}(x)$$

#### 16. Christoffel-Darboux Formulas

$$\sum_{m=0}^n u_m(x)u_m(y) = \frac{u_{n+1}(x)u_n(y) - u_n(x)u_{n+1}(y)}{2(x-y)}$$

$$\sum_{m=0}^n t_m(x)t_m(y) = \frac{t_{n+1}(x)t_n(y) - t_n(x)t_{n+1}(y)}{2(x-y)}$$

$$\sum_{m=0}^n t_m(x)u_m(y) = \frac{2 + t_{n+1}(x)u_n(y) - t_n(x)u_{n+1}(y)}{2(x-y)}$$

$$\sum_{m=0}^n u_m^2(x) = \frac{1}{2}[u'_{n+1}(x)u_n(x) - u'_n(x)u_{n+1}(x)]$$

$$\sum_{m=0}^n t_m^2(x) = \frac{1}{2}[t'_{n+1}(x)t_n(x) - t'_n(x)t_{n+1}(x)]$$

$$\begin{aligned}
\sum_{m=0}^n t_m(x)u_m(x) &= \frac{1}{2}[t'_{n+1}(x)u_n(x) - t'_n(x)u_{n+1}(x)] \\
&= \frac{1}{2}[u'_{n+1}(x)t_n(x) - u'_n(x)t_{n+1}(x)] \\
\frac{1}{x-y} &= \sum_{m=0}^{\infty} t_m(x)u_m(y)
\end{aligned}$$

## 17. Special Values

$$\begin{aligned}
t_n(-1) &= (-1)^n(2n+1) \\
t_n(0) &= \pm 1 = \cos \frac{n\pi}{2} - \sin \frac{n\pi}{2} \\
t_n(1) &= 1 \\
u_n(-1) &= (-1)^n \\
u_n(0) &= \pm 1 = \cos \frac{n\pi}{2} + \sin \frac{n\pi}{2} \\
u_n(1) &= 2n+1
\end{aligned}$$

## 18. Zeros

$$\begin{aligned}
t_n(x_i) &= 0 \quad \text{where} \quad x_i = -\cos \frac{2i}{2n+1}\pi \quad (i = 1, 2, \dots, n) \\
u_n(x_i) &= 0 \quad \text{where} \quad x_i = -\cos \frac{2i-1}{2n+1}\pi \quad (i = 1, 2, \dots, n)
\end{aligned}$$

## 19. Miscellaneous Definite Integrals

$$\begin{aligned}
\frac{1}{\pi} \int_{-1}^1 \sqrt{1-x^2} t_n(x) u_m(x) dx &= \begin{cases} 1 & (m = n = 0 \text{ or } m = n + 1) \\ -1 & (m = n - 1) \\ 0 & (\text{otherwise}) \end{cases} \\
\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+x}{1-x}} u_n(x) u_m(x) dx &= 4 \min(m, n) + 2 - \delta_{mn} \\
\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} t_n(x) t_m(x) dx &= (-1)^{n-m} [4 \min(m, n) + 2 - \delta_{mn}]
\end{aligned}$$

$$\int_{-1}^1 t_n(x) u_m(x) dx = \frac{1 + (-1)^{n+m}}{n+m+1} - \frac{1 - (-1)^{n-m}}{n-m}$$

$$\int_{-1}^1 t_n(x) u_n(x) dx = \frac{2}{2n+1}$$

$$\int_{-1}^1 t_n(x) dx = \frac{1 + (-1)^n}{n+1} - \frac{1 - (-1)^n}{n}$$

$$\int_{-1}^1 u_n(x) dx = \frac{1 + (-1)^n}{n+1} + \frac{1 - (-1)^n}{n}$$

$$\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} (x-y)^n dx = \sum_{k=0}^n (-1)^{n-k} 2^{-k} \binom{n}{k} \binom{k}{k/2} y^{n-k} \quad (n \geq 0)$$

$$\frac{1}{\pi} \int_{-1}^1 \ln \frac{1-xy + \sqrt{1-x^2} \sqrt{1-y^2}}{1-xy - \sqrt{1-x^2} \sqrt{1-y^2}} t_n(x) dx =$$

$$\begin{cases} \sqrt{\frac{1-y}{1+y}} \left[ \frac{u_n(y) + u_{n+1}(y)}{n+1} - \frac{u_{n-1}(y) + u_n(y)}{n} \right] & (n > 0) \\ 2(1+y) \sqrt{\frac{1-y}{1+y}} & (n = 0) \end{cases}$$

## 20. Relations Involving $T_n(x)$

$$t_n(x) + t_{n-1}(x) = u_n(x) - u_{n-1}(x) = 2T_n(x) \quad (n \neq 0)$$

$$t_n(x) = \frac{T_n(x) + T_{n+1}(x)}{1+x}$$

$$u_n(x) = \frac{T_n(x) - T_{n+1}(x)}{1-x}$$

$$t_n(x) u_n(x) - t_{n-1}(x) u_{n-1}(x) = 2T_{2n}(x) \quad (n \neq 0)$$

$$t_n(x) = \sqrt{\frac{2}{1+x}} T_{2n+1} \left( \sqrt{\frac{1+x}{2}} \right)$$

$$t_n(x) = T_n(x) - (1-x)U_{n-1}(x)$$

$$u_n(x) = T_n(x) + (1+x)U_{n-1}(x)$$

## 21. Relations Involving $U_n(x)$

$$t_n(x) = U_n(x) - U_{n-1}(x)$$

$$u_n(x) = U_n(x) + U_{n-1}(x)$$

$$t_n(x) + u_n(x) = -t_{n+1}(x) + u_{n+1}(x) = 2U_n(x)$$

$$t_n(x)u_n(x) = U_{2n}(x)$$

$$u_n(x) = U_{2n}\left(\sqrt{\frac{1+x}{2}}\right)$$

$$t_n(x) = T_n(x) - (1-x)U_{n-1}(x)$$

$$u_n(x) = T_n(x) + (1+x)U_{n-1}(x)$$

$$\frac{t_n(x) - t_{n+1}(x)}{1-x} = \frac{u_n(x) + u_{n+1}(x)}{1+x} = 2U_n(x)$$

## 22. Integrals Involving Legendre Polynomials

$$t_n(x) = \frac{2n+1}{2\sqrt{1+x}} \int_{-1}^x \frac{P_n(y)}{\sqrt{x-y}} dy$$

$$u_n(x) = \frac{2n+1}{2\sqrt{1-x}} \int_x^1 \frac{P_n(y)}{\sqrt{y-x}} dy$$

$$P_n(x) = \frac{1}{\pi} \int_x^1 \frac{t_n(y)}{\sqrt{1-y}\sqrt{y-x}} dy$$

$$P_n(x) = \frac{1}{\pi} \int_{-1}^x \frac{u_n(y)}{\sqrt{1+y}\sqrt{x-y}} dy$$

## 23. Fourier Series

$$f(x) = \sum_{n=0}^{\infty} t_n(x) \frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+y}{1-y}} t_n(y) f(y) dy$$

$$f(x) = \sum_{n=0}^{\infty} u_n(x) \frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-y}{1+y}} u_n(y) f(y) dy$$

$$f(x) = \sqrt{\frac{1+x}{1-x}} \sum_{n=0}^{\infty} t_n(x) \frac{1}{\pi} \int_{-1}^1 t_n(y) f(y) dy$$

$$f(x) = \sqrt{\frac{1-x}{1+x}} \sum_{n=0}^{\infty} u_n(x) \frac{1}{\pi} \int_{-1}^1 u_n(y) f(y) dy$$



## 24. Finite Fourier Transforms

$$\begin{aligned}\frac{1}{\pi} \int_{-1}^1 e^{ixy} \sqrt{\frac{1+x}{1-x}} t_n(x) dx &= i^n J_n(y) + i^{n+1} J_{n+1}(y) \\ \frac{1}{\pi} \int_{-1}^1 e^{ixy} \sqrt{\frac{1-x}{1+x}} u_n(x) dx &= i^n J_n(y) - i^{n+1} J_{n+1}(y) \\ \frac{1}{\pi} \int_{-1}^1 e^{ixy} \sqrt{1-x^2} t_n(x) dx &= \frac{i^{n+1} n}{y} J_n(y) + \frac{i^n (n+1)}{y} J_{n+1}(y) \\ \frac{1}{\pi} \int_{-1}^1 e^{ixy} \sqrt{1-x^2} u_n(x) dx &= \frac{i^{n-1} n}{y} J_n(y) + \frac{i^n (n+1)}{y} J_{n+1}(y)\end{aligned}$$

## Numerical Methods

### 1. Gaussian Quadrature

$$\begin{aligned}\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+x}{1-x}} f(x) dx &= \frac{2}{2n+1} \sum_{i=1}^n (1+x_i) f(x_i) \quad \text{where } x_i = -\cos \frac{2i}{2n+1} \pi \\ \frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} f(x) dx &= \frac{2}{2n+1} \sum_{i=1}^n (1-x_i) f(x_i) \quad \text{where } x_i = -\cos \frac{2i-1}{2n+1} \pi\end{aligned}$$

### 2. Hermite Quadrature

$$\begin{aligned}\frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} f(x) dx &= \frac{2}{2n+1} \sum_{i=1}^n \left[ (1+x_i) f(x_i) - 2(1-x_i^2) f'(x_i) \right] \quad \text{where } x_i = -\cos \frac{2i}{2n+1} \pi \\ \frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+x}{1-x}} f(x) dx &= \frac{2}{2n+1} \sum_{i=1}^n \left[ (1-x_i) f(x_i) + 2(1-x_i^2) f'(x_i) \right] \quad \text{where } x_i = -\cos \frac{2i+1}{2n+1} \pi \\ \frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1-x}{1+x}} u_m(x) f(x) dx &= \frac{2}{2n+1} \sum_{i=1}^n (1+x_i) \left[ (2m+1) t_m(x_i) f(x_i) - 2(1-x_i) u_m(x_i) f'(x_i) \right] \quad \text{where } x_i = -\cos \frac{2i}{2n+1} \pi\end{aligned}$$

$$\begin{aligned} & \frac{1}{\pi} \int_{-1}^1 \sqrt{\frac{1+x}{1-x}} t_m(x) f(x) dx \\ &= \frac{2}{2n+1} \sum_{i=1}^n (1-x_i) [(2m+1)u_m(x_i)f(x_i) + 2(1+x_i)t_m(x_i)f'(x_i)] \quad \text{where } x_i = -\cos \frac{2i+1}{2n+1}\pi \end{aligned}$$

## Concluding Remarks

An extensive list of more than 150 formulas for the so-called airfoil polynomials has been given. These orthogonal polynomials are convenient for describing the chordwise pressure distribution in linear theory aerodynamics. Of particular use are the expressions for the singular integrals occurring in the linear theory.

NASA Langley Research Center  
Hampton, VA 23681-0001  
September 30, 1994

## References

1. Bland, Samuel R.: *Development of Low-Frequency Kernel-Function Aerodynamics for Comparison With Time-Dependent Finite-Difference Methods*. NASA TM-83283, 1982.
2. Bland, Samuel R.: The Two-Dimensional Oscillating Airfoil in a Wind Tunnel in Subsonic Flow. *SIAM J. Appl. Math.*, vol. 18, no. 4, June 1970, pp. 830–848.
3. Golberg, Michael A., ed.: *Solution Methods for Integral Equations—Theory and Applications*. Plenum Press, 1979.
4. Abramowitz, Milton; and Stegun, Irene A., eds.: *Handbook of Mathematical Functions*. Dover Publ. Inc., 1965.

Table I. Coefficients for  $t_n(x)$

$t_n(x) = \sum_{m=0}^n c_m x^m$  and  $x^n = b_n^{-1} \sum_{m=0}^n d_m t_m(x)$ ; values in table correspond to coefficients as follows:  $c_m$  are given horizontally below the diagonally stepped line,  $d_m$  are given vertically above the diagonally stepped line, and  $b_n$  as indicated for a given  $x^n$ ; e.g.,  $t_4(x) = 1 + 4x - 12x^2 - 8x^3 + 16x^4$  and  $x^4 = \frac{1}{16}(6t_0 + 4t_1 + 4t_2 + t_3 + t_4)$

	$x^0$	$x^1$	$x^2$	$x^3$	$x^4$	$x^5$	$x^6$	$x^7$	$x^8$
$t_0$	1	1	2	3	6	10	20	35	70
	1								
$t_1$	-1	1	1	3	4	10	15	35	56
		2							
$t_2$	-1	-2	1	1	4	5	15	21	56
			4						
$t_3$	1	-4	-4	1	1	5	6	21	28
				8					
$t_4$	1	4	-12	-8	1	1	6	7	28
					16				
$t_5$	-1	6	12	-32	-16	1	1	7	8
						32			
$t_6$	-1	-6	24	32	-80	-32	1	1	8
							64		
$t_7$	1	-8	-24	80	80	-192	-64	1	1
								128	
$t_8$	1	8	-40	-80	240	192	-448	-128	1
									256
$b_n$	1	2	4	8	16	32	64	128	256

Table II. Coefficients for  $u_n(x)$

$u_n(x) = \sum_{m=0}^n c_m x^m$  and  $x^n = b_n^{-1} \sum_{m=0}^n d_m u_m(x)$ ; values in table correspond to coefficients as follows:  $c_m$  are given horizontally below the diagonally stepped line,  $d_m$  are given vertically above the diagonally stepped line, and  $b_n$  as indicated for a given  $x^n$ ; e.g.,  $u_4(x) = 1 - 4x - 12x^2 + 8x^3 + 16x^4$  and  $x^4 = \frac{1}{16}(6u_0 - 4u_1 + 4u_2 - u_3 + u_4)$

	$x^0$	$x^1$	$x^2$	$x^3$	$x^4$	$x^5$	$x^6$	$x^7$	$x^8$
$u_0$	1	-1	2	-3	6	-10	20	-35	70
	1								
$u_1$	1	1	-1	3	-4	10	-15	35	-56
		2							
$u_2$	-1	2	1	-1	4	-5	15	-21	56
			4						
$u_3$	-1	-4	4	1	-1	5	-6	21	-28
				8					
$u_4$	1	-4	-12	8	1	-1	6	-7	28
					16				
$u_5$	1	6	-12	-32	16	1	-1	7	-8
						32			
$u_6$	-1	6	24	-32	-80	32	1	-1	8
							64		
$u_7$	-1	-8	24	80	-80	-192	64	1	-1
								128	
$u_8$	1	-8	-40	80	240	-192	-448	128	1
									256
$b_n$	1	2	4	8	16	32	64	128	256

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY(Leave blank)	2. REPORT DATE September 1995	3. REPORT TYPE AND DATES COVERED Reference Publication		
4. TITLE AND SUBTITLE Tables of Properties of Airfoil Polynomials		5. FUNDING NUMBERS WU 505-63-50-12		
6. AUTHOR(S) Robert N. Desmarais and Samuel R. Bland				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) NASA Langley Research Center Hampton, VA 23681-0001		8. PERFORMING ORGANIZATION REPORT NUMBER L-17420		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Aeronautics and Space Administration Washington, DC 20546-0001		10. SPONSORING/MONITORING AGENCY REPORT NUMBER NASA RP-1343		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT  Unclassified-Unlimited Subject Category 02 Availability: NASA CASI (301) 621-0390		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) This monograph provides an extensive list of formulas for airfoil polynomials. These polynomials provide convenient expansion functions for the description of the downwash and pressure distributions of linear theory for airfoils in both steady and unsteady subsonic flow.				
14. SUBJECT TERMS Kernel function; Unsteady aerodynamics			15. NUMBER OF PAGES 19	
			16. PRICE CODE A03	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT	